




LED M I R R O R L I G H T



NINGBO GREENERGY LIGHTING CO.LTD

Rm18-5 Huahong Building,
No.717 Zhongxing Road,
Ningbo, China

0086-574-87374343
0086-574-87370675
0086-135 8658 9931
yoyowang77

jiayi@nbgreenergy.com
<http://www.nbgreenergy.com>
<http://jiayi-gift.en.alibaba.com>



2023

NINGBO GREENERGY
LIGHTING CO.LTD



ABOUT GREENERGY

Greenergy specializes in satisfying customers' needs through researching ,manufacturing and marketing LED lighting.

Greenergy specially produce in LED Mirror Light Series,LED Bathroom Mirror Light Series, LED Makeup Mirror Light Series, LED Dressing Mirror Light Series,LED Mirror Cabinet etc.

Our Mirror Light Factory have metal laser cutting machine,automatic bending machine,automatic welling and polishing machine,glass laser machine , special-shaped edging machine, laser sand-punching machine,glass automatic slicing machine,glass grinding machine. Besides, Greenergy have CE, ROHS,UL certificate issued by Top Testing Labs like TUV, SGS, UL.

Greenergy always eager to work closely with our global partners in order to build the mutual competitive advantages.

We aim to create the value of light for worldwide people to enjoy the high quality of life, and hope to be your first and reliable choice in lighting fixture.

Choose Greenergy
Choose green and luminosity.



CONTENTS

	LED Dressing Mirror Light	01-14
	LED Makeup Mirror Light	15-40
	LED Mirror Cabinet	41-46
	LED Bathroom Mirror Light	47-72
	LED Mirror Light	73-84



LED

Dressing Mirror Light





LED Dressing
Mirror Light



LED Dressing Mirror Light

GLD
2201

- Touch Switch
- Defog
- Time Display
- Temperature Display
- Three color Light
- Stepless Dimming
- Bluetooth Stereo
- Shatter Proof

- Anodized aluminum frame
- HD copper free mirror
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	Size	IP Rate
GLD2201	AC100-240V	80/90	3000K/ 4000K /6000K	400x1400mm	IP20
				500x1500mm	IP20
				600x1600mm	IP20



LED Dressing
Mirror Light



LED
Dressing Mirror Light

GLD
2202

- Touch Switch
- Defog
- Time Display
- Temperature Display
- Three color Light
- Stepless Dimming
- Bluetooth Stereo
- Shatter Proof

- Anodized aluminum frame
- HD copper free mirror
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	Size	IP Rate
GLD2202	AC100-240V	80/90	3000K/ 4000K /6000K	400x1400mm	IP20
				500x1500mm	IP20
				600x1600mm	IP20



LED Dressing
Mirror Light




LED
Dressing Mirror Light

GLD
2203

- Touch Switch
- Defog
- Time Display
- Temperature Display
- Three color Light
- Stepless Dimming
- Bluetooth Stereo
- Shatter Proof

- Anodized aluminum frame
- HD copper free mirror
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	Size	IP Rate
GLD2203	AC100-240V	80/90	3000K/ 4000K /6000K	400x1400mm	IP20
				500x1500mm	IP20
				600x1600mm	IP20



LED Dressing
Mirror Light



LED Dressing Mirror Light

GLD
2204

- Touch Switch
- Defog
- Time Display
- Temperature Display
- Three color Light
- Stepless Dimming
- Bluetooth Stereo
- Shatter Proof

- Anodized aluminum frame
- HD copper free mirror
- Build in touch sensor
- Availablity of dimmable
- Availablity of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	Size	IP Rate
GLD2204	AC100-240V	80/90	3000K/ 4000K /6000K	400x1400mm	IP20
				500x1500mm	IP20
				600x1600mm	IP20



LED Dressing
Mirror Light



LED Dressing Mirror Light

GLD
2205

- Touch Switch
- Defog
- Time Display
- Temperature Display
- Three color Light
- Stepless Dimming
- Bluetooth Stereo
- Shatter Proof

- Anodized aluminum frame
- HD copper free mirror
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	Size	IP Rate
GLD2205	AC100-240V	80/90	3000K/ 4000K /6000K	400x1400mm	IP20
				500x1500mm	IP20
				600x1600mm	IP20



LED Dressing
Mirror Light




LED Dressing Mirror Light


GLD
2206

- Touch Switch
- Defog
- Time Display
- Temperature Display
- Three color Light
- Stepless Dimming
- Bluetooth Stereo
- Shatter Proof

- Anodized aluminum frame
- HD copper free mirror
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	Size	IP Rate
GLD2206	AC100-240V	80/90	3000K/ 4000K /6000K	400x1400mm	IP20
				500x1500mm	IP20
				600x1600mm	IP20



LED

Makeup Mirror Light





LED Makeup
Mirror Light



LED
Makeup Mirror Light

GCM
5101

- Touch Switch
- Defog
- Time Display
- Temperature Display
- Three color Light
- Stepless Dimming
- Bluetooth Stereo
- Shatter Proof

- Anodized aluminum frame
- HD copper free mirror
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	LED Bulb QTY	Size	IP Rate
GCM5101	AC100-240V	80/90	3000K 4000K 6000K	9pcs LED Bulb	300x400mm	IP20
				10pcs LED Bulb	400x500mm	IP20
				14pcs LED Bulb	600X500mm	IP20
				15pcs LED Bulb	800x600mm	IP20
				18pcs LED Bulb	1000x800mm	IP20



LED Makeup Mirror Light



LED Makeup Mirror Light

GCM
5102

-  Touch Switch

 Defog

 Time Display
-  Temperature Display

 Three color Light

 Stepless Dimming
-  Bluetooth Stereo

 Shatter Proof

- Anodized aluminum frame
- HD copper free mirror
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	LED Bulb QTY	Size	IP Rate
GCM5102	AC100-240V	80/90	3000K 4000K 6000K	9pcs LED Bulb	300x400mm	IP20
				10pcs LED Bulb	400x500mm	IP20
				14pcs LED Bulb	600X500mm	IP20
				15pcs LED Bulb	800x600mm	IP20
				18pcs LED Bulb	1000x800mm	IP20



LED Makeup
Mirror Light



LED Makeup Mirror Light

GCM
5103

-  Touch
Switch

 Defog

 Time
Display
-  Temperature
Display

 Three color
Light

 Stepless
Dimming
-  Bluetooth
Stereo

 Shatter
Proof

- Anodized aluminum frame
- HD copper free mirror
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	LED Bulb QTY	Size	IP Rate
GCM5103	AC100-240V	80/90	3000K 4000K 6000K	9pcs LED Bulb	300x400mm	IP20
				10pcs LED Bulb	400x500mm	IP20
				14pcs LED Bulb	600X500mm	IP20
				15pcs LED Bulb	800x600mm	IP20
				18pcs LED Bulb	1000x800mm	IP20



LED Makeup
Mirror Light



LED Makeup Mirror Light

GCM
5104

- Touch Switch
- Defog
- Time Display
- Temperature Display
- Three color Light
- Stepless Dimming
- Bluetooth Stereo
- Shatter Proof

- Anodized aluminum frame
- HD copper free mirror
- Build in touch sensor
- Availablity of dimmable
- Availablity of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	LED Bulb QTY	Size	IP Rate
GCM5104	AC100-240V	80/90	3000K 4000K 6000K	0.8M LED Strip	300x400mm	IP20
				1.1M LED Strip	400x500mm	IP20
				1.4M LED Strip	600X500mm	IP20
				1.8M LED Strip	800x600mm	IP20
				2.4M LED Strip	1000x800mm	IP20



LED Makeup
Mirror Light




LED Makeup Mirror Light

GCM
5105

- Touch Switch
- Defog
- Time Display
- Temperature Display
- Three color Light
- Stepless Dimming
- Bluetooth Stereo
- Shatter Proof

- Anodized aluminum frame
- HD copper free mirror
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	LED Bulb QTY	Size	IP Rate
GCM5105	AC100-240V	80/90	3000K 4000K 6000K	0.8M LED Strip	300x400mm	IP20
				1.1M LED Strip	400x500mm	IP20
				1.4M LED Strip	600X500mm	IP20
				1.8M LED Strip	800x600mm	IP20
				2.4M LED Strip	1000x800mm	IP20



LED Makeup
Mirror Light



LED Makeup Mirror Light

GCM
5106

- Touch Switch
- Defog
- Time Display
- Temperature Display
- Three color Light
- Stepless Dimming
- Bluetooth Stereo
- Shatter Proof

- Anodized aluminum frame
- HD copper free mirror
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	LED Bulb QTY	Size	IP Rate
GCM5106	AC100-240V	80/90	3000K 4000K 6000K	0.8M LED Strip	300x400mm	IP20
				1.1M LED Strip	400x500mm	IP20
				1.4M LED Strip	600X500mm	IP20
				1.8M LED Strip	800x600mm	IP20
				2.4M LED Strip	1000x800mm	IP20



LED Makeup Mirror Light



LED Makeup Mirror Light

GCM 5107

- Touch Switch
- Defog
- Time Display
- Temperature Display
- Three color Light
- Stepless Dimming
- Bluetooth Stereo
- Shatter Proof

- Anodized aluminum frame
- HD copper free mirror
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	LED Bulb QTY	Size	IP Rate
GCM5107	AC100-240V	80/90	3000K 4000K 6000K	1.2M LED Strip	430X270X100mm	IP20



LED Makeup
Mirror Light



LED
Makeup Mirror Light

GCM
5108

- Touch Switch
- Defog
- Time Display
- Temperature Display
- Three color Light
- Stepless Dimming
- Bluetooth Stereo
- Shatter Proof

- Anodized aluminum frame
- HD copper free mirror
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	LED Bulb QTY	Size	IP Rate
GCM5108	AC100-240V	80/90	3000K 4000K 6000K	1.2M LED Strip	445x520x100mm	IP20



LED Makeup
Mirror Light



LED
Makeup Mirror Light

GDM
5201

-  Touch
Switch

 Defog

 Time
Display
-  Temperature
Display

 Three color
Light

 Stepless
Dimming
-  Bluetooth
Stereo

 Shatter
Proof

- Iron frame
- HD copper free mirror
- Build in touch sensor
- Availablility of dimmable
- Availablility of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	LED Bulb QTY	Size	IP Rate
GDM5201	AC100-240V	95	3000K 4000K 6000K	5pcs LED Bulb	350x319x80mm	IP20



LED Makeup
Mirror Light



LED
Makeup Mirror Light

GDM
5202

- Touch Switch
- Defog
- Time Display
- Temperature Display
- Three color Light
- Stepless Dimming
- Bluetooth Stereo
- Shatter Proof

- Iron frame
- HD copper free mirror
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	LED Bulb QTY	Size	IP Rate
GDM5202	AC100-240V	95	3000K	6pcs LED Bulb	300x350x60mm	IP20
			4000K	9pcs LED Bulb	300x350x60mm	
			6000K	12pcs LED Bulb	365x473x85mm	



LED Makeup Mirror Light




LED Makeup Mirror Light

GDM 5203

- Touch Switch
- Defog
- Time Display
- Temperature Display
- Three color Light
- Stepless Dimming
- Bluetooth Stereo
- Shatter Proof

- Iron frame
- HD copper free mirror
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	LED Bulb QTY	Size	IP Rate
GDM5203	AC100-240V	95	3000K 4000K 6000K	6pcs LED Bulb	318x393x80mm	IP20



LED Makeup Mirror Light



LED Makeup Mirror Light

GDM 5204

- Touch Switch
- Defog
- Time Display
- Temperature Display
- Three color Light
- Stepless Dimming
- Bluetooth Stereo
- Shatter Proof

- Iron frame
- HD copper free mirror
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	LED Bulb QTY	Size	IP Rate
GDM5204	AC100-240V	80/90	3000K 4000K 6000K	9pcs LED Bulb	400x510x85mm	IP20



LED Mirror Cabinet





LED Mirror Cabinet




LED Mirror Cabinet

GMC 3101

- Touch Switch
- Defog
- Time Display
- Temperature Display
- Three color Light
- Stepless Dimming
- Bluetooth Stereo
- Shatter Proof

- Anodized aluminum frame
- HD copper free mirror
- Anti-corrosion and defogger
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	Size	IP Rate
GMC3101	AC100-240V	80/90	3000K/ 4000K /6000K	600x750mm	IP44
				750x600mm	IP44
				1000X600mm	IP44



LED Mirror Cabinet





LED
Mirror Cabinet

GMC
3102

- Touch Switch
- Defog
- Time Display
- Temperature Display
- Three color Light
- Stepless Dimming
- Bluetooth Stereo
- Shatter Proof

- Anodized aluminum frame
- HD copper free mirror
- Anti-corrosion and defogger
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	Size	IP Rate
GMC3102	AC100-240V	80/90	3000K/ 4000K /6000K	600x750mm	IP44
				750x600mm	IP44




LED Bathroom Mirror Light





LED Bathroom
Mirror Light




LED Bathroom Mirror Light

GM
1101

- Touch Switch
- Defog
- Time Display
- Temperature Display
- Three color Light
- Stepless Dimming
- Bluetooth Stereo
- Shatter Proof

- Anodized aluminum frame
- HD copper free mirror
- Anti-corrosion and defogger
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	Size	IP Rate
GM1101	AC100-240V	80/90	3000K/ 4000K /6000K	700x500mm	IP44
				800x600mm	IP44
				1200x600mm	IP44



LED Bathroom
Mirror Light





LED Bathroom Mirror Light

GM
1102

- Touch Switch
- Defog
- Time Display
- Temperature Display
- Three color Light
- Stepless Dimming
- Bluetooth Stereo
- Shatter Proof

- Anodized aluminum frame
- HD copper free mirror
- Anti-corrosion and defogger
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	Size	IP Rate
GM1102	AC100-240V	80/90	3000K/ 4000K /6000K	700x500mm	IP44
				800x600mm	IP44
				1200x600mm	IP44



LED Bathroom
Mirror Light



LED Bathroom Mirror Light

GM
1103

-  Touch
Switch

 Defog



 Time
Display
-  Temperature
Display

 Three color
Light

 Stepless
Dimming
-  Bluetooth
Stereo

 Shatter
Proof


- Anodized aluminum frame
- HD copper free mirror
- Anti-corrosion and defogger
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	Size	IP Rate
GM1103	AC100-240V	80/90	3000K/ 4000K /6000K	700x500mm	IP44
				800x600mm	IP44
				1200x600mm	IP44



LED Bathroom
Mirror Light




LED Bathroom Mirror Light

GM
1104

- Touch Switch
- Defog
- Time Display
- Temperature Display
- Three color Light
- Stepless Dimming
- Bluetooth Stereo
- Shatter Proof

- Anodized aluminum frame
- HD copper free mirror
- Anti-corrosion and defogger
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	Size	IP Rate
GM1104	AC100-240V	80/90	3000K/ 4000K /6000K	700x500mm	IP44
				800x600mm	IP44
				1200x600mm	IP44



LED Bathroom
Mirror Light



LED Bathroom Mirror Light

GM
1105



Touch
Switch



Defog



Time
Display



Temperature
Display



Three color
Light



Stepless
Dimming



Bluetooth
Stereo



Shatter
Proof


- Anodized aluminum frame
- HD copper free mirror
- Anti-corrosion and defogger
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	Size	IP Rate
GM1105	AC100-240V	80/90	3000K/ 4000K /6000K	700x500mm	IP44
				800x600mm	IP44
				1200x600mm	IP44



LED Bathroom
Mirror Light



LED Bathroom Mirror Light

GM
1106

-  Touch Switch
-  Defog
-  Time Display
-  Temperature Display
-  Three color Light
-  Stepless Dimming
-  Bluetooth Stereo
-  Shatter Proof


- Anodized aluminum frame
- HD copper free mirror
- Anti-corrosion and defogger
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	Size	IP Rate
GM1106	AC100-240V	80/90	3000K/ 4000K /6000K	700x500mm	IP44
				800x600mm	IP44
				1200x600mm	IP44



LED Bathroom
Mirror Light



LED Bathroom Mirror Light

GM
1107

-  Touch
Switch

 Defog


 Time
Display
-  Temperature
Display

 Three color
Light

 Stepless
Dimming
-  Bluetooth
Stereo

 Shatter
Proof

- Anodized aluminum frame
- HD copper free mirror
- Anti-corrosion and defogger
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	Size	IP Rate
GM1107	AC100-240V	80/90	3000K/ 4000K /6000K	700x500mm	IP44
				800x600mm	IP44
				1200x600mm	IP44



LED Bathroom
Mirror Light



LED Bathroom Mirror Light

GM
1108

-  Touch Switch

 Defog

 Time Display
-  Temperature Display

 Three color Light

 Stepless Dimming
-  Bluetooth Stereo

 Shatter Proof

- Anodized aluminum frame
- HD copper free mirror
- Anti-corrosion and defogger
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	Size	IP Rate
GM1108	AC100-240V	80/90	3000K/ 4000K /6000K	500mm	IP44
				600mm	IP44
				800mm	IP44



LED Bathroom
Mirror Light




LED Bathroom Mirror Light

GM
1109

- Touch Switch
- Defog
- Time Display
- Temperature Display
- Three color Light
- Stepless Dimming
- Bluetooth Stereo
- Shatter Proof

- Anodized aluminum frame
- HD copper free mirror
- Anti-corrosion and defogger
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	Size	IP Rate
GM1109	AC100-240V	80/90	3000K/ 4000K /6000K	550X80mm	IP44
				1200X80mm	IP44



LED Bathroom
Mirror Light




LED Bathroom Mirror Light

GM
1110

- Touch Switch
- Defog
- Time Display
- Temperature Display
- Three color Light
- Stepless Dimming
- Bluetooth Stereo
- Shatter Proof


- Anodized aluminum frame
- HD copper free mirror
- Anti-corrosion and defogger
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	Size	IP Rate
GM1110	AC100-240V	80/90	3000K/ 4000K /6000K	500mm	IP44
				600mm	IP44
				800mm	IP44



LED Bathroom
Mirror Light




LED Bathroom Mirror Light

GM
1111

- Touch Switch
- Defog
- Time Display
- Temperature Display
- Three color Light
- Stepless Dimming
- Bluetooth Stereo
- Shatter Proof


- Anodized aluminum frame
- HD copper free mirror
- Anti-corrosion and defogger
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	Size	IP Rate
GM1111	AC100-240V	80/90	3000K/ 4000K /6000K	700x500mm	IP44
				800x600mm	IP44
				1200x600mm	IP44



LED Bathroom
Mirror Light







LED Bathroom Mirror Light

GM
1112

- Touch Switch
- Defog
- Time Display
- Temperature Display
- Three color Light
- Stepless Dimming
- Bluetooth Stereo
- Shatter Proof

- Anodized aluminum frame
- HD copper free mirror
- Anti-corrosion and defogger
- Build in touch sensor
- Availability of dimmable
- Availability of CCT changeable
- Customized dimension



Model	Voltage	CRI	CCT	Size	IP Rate
GM1112	AC100-240V	80/90	3000K/ 4000K /6000K	700x500mm	IP44
				800x600mm	IP44
				1200x600mm	IP44



LED

Mirror Light



LED Mirror Light

JY-ML-G
3.5W / 5W / 6W /
7W / 9W



Model	Power	Voltage	Lumen	CCT	Angle	CRI	PF	Size	Material
JY-ML-G3.5W	3.5W	AC220-240V	250±10%lm	3000K 4000K 6000K	120°	>80	>0.5	180x103x40mm	ABS
JY-ML-G5W	5W	AC220-240V	350±10%lm		120°	>80	>0.5	300x103x40mm	ABS
JY-ML-G6W	6W	AC220-240V	450±10%lm		120°	>80	>0.5	450x103x40mm	ABS
JY-ML-G7W	7W	AC220-240V	500±10%lm		120°	>80	>0.5	500x103x40mm	ABS
JY-ML-G9W	9W	AC220-240V	750±10%lm		120°	>80	>0.5	600x103x40mm	ABS

LED Mirror Light

JY-ML-Q
8W / 10W



Model	Power	Voltage	Lumen	CCT	Angle	CRI	PF	Size	Material
JY-ML-Q8W	8W	AC220-240V	680±10%lm	3000K 4000K 6000K	120°	>80	>0.5	300x103x40mm	ABS
JY-ML-Q10W	10W	AC220-240V	850±10%lm		120°	>80	>0.5	500x103x40mm	ABS

LED
Mirror Light

JY-ML-R
3.5W / 4W / 5W /
6W / 7W / 9W



Model	Power	Voltage	Lumen	CCT	Angle	CRI	PF	Size	Material
JY-ML-R3.5W	3.5W	AC220-240V	260±10%lm	3000K 4000K 6000K	330°	>80	>0.5	180x95x40mm	ABS
JY-ML-R4W	4W	AC220-240V	350±10%lm		330°	>80	>0.5	200x95x40mm	ABS
JY-ML-R5W	5W	AC220-240V	430±10%lm		330°	>80	>0.5	300x95x40mm	ABS
JY-ML-R6W	6W	AC220-240V	530±10%lm		330°	>80	>0.5	400x95x40mm	ABS
JY-ML-R7W	7W	AC220-240V	600±10%lm		330°	>80	>0.5	500x95x40mm	ABS
JY-ML-R9W	9W	AC220-240V	800±10%lm		330°	>80	>0.5	600x95x40mm	ABS

LED
Mirror Light

JY-ML-S
3.5W / 4W / 5W /
6W / 7W / 9W



Model	Power	Voltage	Lumen	CCT	Angle	CRI	PF	Size	Material
JY-ML-S3.5W	3.5W	AC220-240V	250±10%lm	3000K 4000K 6000K	330°	>80	>0.5	180x103x40mm	ABS
JY-ML-S4W	4W	AC220-240V	350±10%lm		330°	>80	>0.5	200x103x40mm	ABS
JY-ML-S5W	5W	AC220-240V	400±10%lm		330°	>80	>0.5	300x103x40mm	ABS
JY-ML-S6W	6W	AC220-240V	500±10%lm		330°	>80	>0.5	400x103x40mm	ABS
JY-ML-S7W	7W	AC220-240V	600±10%lm		330°	>80	>0.5	500x103x40mm	ABS
JY-ML-S9W	9W	AC220-240V	800±10%lm		330°	>80	>0.5	600x103x40mm	ABS

LED
Mirror Light

JY-ML-A
4W



Model	Power	Voltage	Lumen	CCT	Angle	CRI	PF	Size	Material
JY-ML-A4W	4W	AC220-240V	350±10%lm	3000K	120°	>80	>0.5	75x35x75mm	ABS
				4000K					
				6000K					

LED
Mirror Light

JY-ML-B
4W



Model	Power	Voltage	Lumen	CCT	Angle	CRI	PF	Size	Material
JY-ML-B4W	4W	AC220-240V	350±10%lm	3000K	120°	>80	>0.5	75x35x75mm	ABS
				4000K					
				6000K					

LED
Mirror Light

JY-ML-C
4W



Model	Power	Voltage	Lumen	CCT	Angle	CRI	PF	Size	Material
JY-ML-C4W	4W	AC220-240V	250±10%lm	3000K	120°	>80	>0.5	90x40x40mm	ABS
				4000K					
				6000K					

LED
Mirror Light

JY-ML-D
4.5W



Model	Power	Voltage	Lumen	CCT	Angle	CRI	PF	Size	Material
JY-ML-D4.5W	4.5W	AC220-240V	350±10%lm	3000K	120°	>80	>0.5	131x48x80mm	PC
				4000K					
				6000K					

LED
Mirror Light

JY-ML-E
7W



Model	Power	Voltage	Lumen	CCT	Angle	CRI	PF	Size	Material
JY-ML-E7W	7W	AC220-240V	700±10%lm	3000K	120°	>80	>0.5	300x88x44mm	PC
				4000K					
				6000K					

LED
Mirror Light

JY-ML-F
3.5W



Model	Power	Voltage	Lumen	CCT	Angle	CRI	PF	Size	Material
JY-ML-F3.5W	3.5W	AC220-240V	300±10%lm	3000K	120°	>80	>0.5	125x122x38.5mm	PC
				4000K					
				6000K					